

Hybrid 2 Maclaurin (Taylor) Series

Exercise 1

Using the basic definition of a Maclaurin series find the first three nonzero terms of the following functions.

#1 $f(x) = e^x$	answer: $1 + x + \frac{1}{2}x^2 + \dots$
#2. $f(x) = \cos(x)$	answer: $1 - \frac{1}{2}x^2 + \frac{1}{24}x^4 - \dots$
#3 $f(x) = e^{-2x}$	answer: $1 - 2x + 2x^2 - \dots$
#4 $f(x) = \cos 4\pi x$	answer: $1 - 8\pi^2 x^2 + \frac{32}{3}\pi^4 x^4 - \dots$

Exercise 2

In the following, find the first four nonzero terms of the Maclaurin expansions of the given functions by using the following standard results:

$$e^x = 1 + x + \frac{x^2}{2!} + \frac{x^3}{3!} + \dots$$

$$\sin x = x - \frac{x^3}{3!} + \frac{x^5}{5!} - \dots$$

$$\cos x = 1 - \frac{x^2}{2!} + \frac{x^4}{4!} - \dots$$

#1 $f(x) = e^{3x}$	answer: $1 + 3x + \frac{9}{2}x^2 + \frac{9}{2}x^3 + \dots$
#2 $f(x) = \sin \frac{1}{2}x$	answer: $\frac{x}{2} - \frac{x^3}{2^3 3!} + \frac{x^5}{2^5 5!} - \frac{x^7}{2^7 7!} + \dots$
#3 $f(x) = x \cos 4x$	answer: $x - 8x^3 + \frac{32}{3}x^5 - \frac{256}{45}x^7 + \dots$

Exercise 3.

Calculate the value of each of the given functions. Use the indicated number of terms of the appropriate Maclaurin series. Compare with the value found directly on a calculator.

#1 $e^{0.2}$ (3)	answer: 1.22, 1.221 402 8
#2 $\sin 0.1$ (2)	answer: 0.099 833 3, 0.099 833 4
#3 e (7)	answer: 2.718 055 6, 2.718 281 8
#4 $\cos \pi^{\circ}$ (2)	answer: 0.998 496 77, 0.998 497 15

Exercise 4.

Calculate the value of the following function using a Taylor series, taking $a = 1.0$, using all the terms up to and including x^3

#1 $e^{1.2}$	answer: 3.32
-----------------	-----------------


Exercise 5.

#1a. Derive the Maclaurin series expansion for the function $f(x) = (e^x + e^{-x})/2$ for the first three non-zero terms	<i>Answer.</i> $e^x = 1 + x + x^2/2 + x^3/6 + x^4/24 + \dots$ $e^{-x} = 1 - x + x^2/2 - x^3/6 + x^4/24 + \dots$ So $(e^x + e^{-x})/2 = 1 + x^2/2 + x^4/24 + \dots$
#1b. Write a numerical expression for the estimated % fractional (relative) error in your series from 1a at $x = 1.0$ when only two terms are used.	<i>Answer.</i> At $x = 1$ with two terms $f(x) = 1 + 1/2! = 3/2$ error is ~first truncated term = $1/4! = 1/24$ so the % fractional error = $100 \times 1/24 \times 2/3 = 2.8\%$
#2a. Derive the Maclaurin series expansion for the function $f(x) = (e^x - e^{-x})/2$ for the first three non-zero terms.	<i>Answer.</i> $e^x = 1 + x + x^2/2 + x^3/6 + x^4/24 + x^5/120 + \dots$ $e^{-x} = 1 - x + x^2/2 - x^3/6 + x^4/24 - x^5/120 + \dots$ So $(e^x - e^{-x})/2 = x + x^3/6 + x^5/120 + \dots$
#2b. Write a numerical expression for the estimated % fractional (relative) error in your series from 2a at $x = 1.0$ when only two terms are used.	<i>Answer.</i> At $x = 1$, $f(x) = 1 + 1/6 = 7/6$ error is ~first truncated term = $1/120$ so the % fractional error = $100 \times 1/120 \times 6/7 = 100/140 = 0.71\%$

Exercise 6

<p>#1a. Derive the Maclaurin series expansion for the function $f(x) = x\cos(4x)$ for the first three nonzero terms</p>	<p><i>Answer.</i> <i>This is an example from exercise 2:</i></p> $f(x) = x(1 - (4x)^2/2! + (4x)^4/4!) = x - 4^2x^3/2! + 4^4x^5/4! = x - 8x^3 + 32x^5/3$
<p>#1b. Write down a numerical expression for an estimate of the % relative series error in your series from 1a at $x = 0.1$ when the series is truncated after the second term (the third term and higher are omitted from the series)</p>	<p><i>Answer.</i> <i>At $x = 0.1$ for two terms $f(x) = 0.1 - 8*(0.1)^3 = 0.1 - 0.008 = 0.092$</i></p> <p><i>%relative error from 3rd term</i> <i>= $100*(32*10^{-5}/3)/0.092 = 0.116\%$</i></p>

Exercise 7

<p>#1a. Derive the Maclaurin series expansion for the function $f(x) = e^x \cos(x)$ up to and including the term in x^4.</p>	<p><i>Answer.</i></p> $e^x \cos x = \left(1 + x + \frac{x^2}{2!} + \frac{x^3}{3!} + \frac{x^4}{4!} + \dots\right) \left(1 - \frac{x^2}{2!} + \frac{x^4}{4!} - \dots\right)$ <p>By multiplying the series on the right, we have the following result, considering through the x^4 terms in the product.</p>  $e^x \cos x = 1 - \frac{x^2}{2} + \frac{x^4}{24} + x - \frac{x^3}{2} + \frac{x^2}{2} - \frac{x^4}{4} + \frac{x^3}{6} + \frac{x^4}{24} + \dots$ $= 1 + x - \frac{1}{3}x^3 - \frac{1}{6}x^4 + \dots$
<p>#1b. Write down a numerical expression for the estimated % fractional error in your series from 1a at $x = 1$ when the series contains only up to and including the term in x^3</p>	<p><i>Answer.</i> <i>At $x = 1$,</i> <i>$f(x) = 1 + 1 - 1/3 = 5/3$</i></p> <p><i>The error is approximated as the first neglected term = $-x^4/6 = -1/6$ so the % fractional error = $-(1/6)/(5/3)*100 = (-1/10)*100 = -10\%$</i></p>